SENSORS AND ACTUATORS B VOLUME B11, NUMBERS 1–3, MARCH 1, 1993

Contents

Preface xi
O. S. Wolfbeis (Graz, Austria)

Dedication xi

Plenary Papers

Optical sensors based on neutral carriers 1
U. Spichiger, W. Simon, E. Bakker, M. Lerchi, P. Bühlmann, J.-P. Haug, M. Kuratli, S. Ozawa and S. West (Zürich, Switzerland)

Gas sensors using correlation spectroscopy compatible with fibre-optic operation 9
H. O. Edwards and J. P. Dakin (Southampton, UK)

Chemical and biochemical sensors based on interferometry at thin (multi-)layers 21
G. Gauglitz, A. Brecht, G. Kraus and W. Nahm (Tübingen, Germany)

Enhanced evanescent wave sensors based on sol–gel-derived porous glass coatings 29
B. D. MacCraith (Dublin, Ireland)

Luminescence-based sensors: microheterogeneous and temperature effects 35
J. N. Demas (Charlottesville, VA, USA) and B. A. DeGraff (Harrisonburg, VA, USA)

Recent progress in intrinsic fiber-optic chemical sensing II 43
R. A. Lieberman (Torrance, CA, USA)

Luminescence-based fibre-optic probes 57
P. R. Coulet, L. J. Blum and S. M. Gautier (Villeurbanne, France)

Principles of biosensing with an extended coupling matrix and surface plasmon resonance 63
B. Liedberg, I. Lundström (Linköping, Sweden) and E. Stenberg (Uppsala, Sweden)

Reversible fiber-optic immunosensor measurements 73
J. R. Astles and W. G. Miller (Richmond, VA, USA)

Keynote, Invited and Regular Papers

1. Environmental Sensing

Fiber-optic chemical sensors offer a realistic solution to environmental monitoring needs 81
S. M. Klainer, J. R. Thomas and J. C. Francis (Las Vegas, NV, USA)

Fiber-optic remote detection of pesticides and related inhibitors of the enzyme acetylcholine esterase 87
W. Trettnak, F. Reininger, E. Zinterl and O. S. Wolfbeis (Graz, Austria)

2. Novel Spectroscopic Techniques

Luminescence decay-time-based optical sensors: principles and problems 97
M. E. Lippitsch and S. Draxler (Graz, Austria)

A new way of biosensing using fluorescence energy transfer and Langmuir–Blodgett films 103
H.-U. Siegmund and A. Becker (Krefeld, Germany)

Covalent immobilization of amphiphilic monolayers containing urease onto optical fibers for fluorimetric detection of urea 109
J. D. Brennan, R. S. Brown, A. Della Manna, K. M. R. Kallury, P. A. Piunno and U. J. Krull (Mississauga, Ont., Canada)

Advances in colour measurement for biomedical applications 121
R. Myllylä, E. Marszalec and H. Kopola (Oulu, Finland)

Chemical sensors based on non-linear optics 129
S. Draxler, I. Pflanzl, Z. Xiang and M. E. Lippitsch (Graz, Austria)

Fluorescence lifetime-based sensing of pH, Ca^{2+}, K^{+} and glucose 133
J. R. Lakowicz and H. Szmacinski (Baltimore, MD, USA)

Elsevier Sequoia

3. Optical Fibre and Planar Waveguide Sensors

The Raman laser fiber optics (RLFO) method and its applications 147
Nguyen Quy Dao and M. Jouan (Chatenay-Malabry, France)

Kinetics of the micromirror chemical sensor 161
M. A. Butler and R. J. Buss (Albuquerque, NM, USA)

Gradient effective index waveguide sensors 167
R. E. Kunz (Zürich, Switzerland)

Integrated optical difference interferometer as refractometer and chemical sensor 177
Ch. Stamm and W. Kukosz (Zürich, Switzerland)

4. Gas Sensors and Process Control

Some applications of infrared optical sensing 185
A. D. Stuart (Wallsend, NSW, Australia)

Luminescent porphyrin thin films for NOX sensing 195
M. G. Baron, R. Narayanaswamy (Manchester, UK) and S. C. Thorpe (Sheffield, UK)

Set of luminescence pressure sensors for aerospace research 201
I. Troyanovsky, N. Sadovskii, M. Kuzmin (Moscow, Russian Federation), V. Mosharov, A. Orlov, V. Radchenko and S. Phonov (Zukovsky, Russian Federation)

Integrated optical sensors for halogenated and non-halogenated hydrocarbons 207
G. Gauglitz and J. Ingenhoff (Tübingen, Germany)

A laser photoacoustic sensor for analyte detection in aqueous systems 213
H. A. MacKenzie, G. B. Christison, P. Hodgson and D. Blanc (Edinburgh, UK)

Integrated-optic ammonia sensor 221
R. Klein and E. Voges (Dortmund, Germany)

Integrated acousto-optical gas sensor: a proposal and first experimental verification 227
I. Hinkov and V. Hinkov (Freiburg i.Br., Germany)

5. Immunodetectors I

The fluorescent capillary fill device 235
G. A. Robinson, J. W. Attridge, J. K. Deacon and S. C. Whiteley (Woking, UK)

A fiber-optic evanescent-wave immunosensor for large molecules 239
L. C. Shriver-Lake, R. A. Ogert and F. S. Ligler (Washington, DC, USA)

Evanescent fluorescence immunoassays performed with a disposable ion-exchanged patterned waveguide 245
Y. Zhou, J. V. Magill, R. M. De La Rue, P. J. R. Laybourn and W. Cushley (Glasgow, UK)

6. Clinical and Biomedical Applications I

Chemical *in vivo* monitoring by optical sensors in medicine 253
D. W. Lübbers (Dortmund, Germany)

Optodes in clinical chemistry: potential and limitations 263
U. E. Spichiger, D. Freiner, E. Bakker, T. Rosatzin and W. Simon (Zürich, Switzerland)

Biocompatibility of artificial surfaces such as cellulose and related materials 273
C. Mannhalter (Vienna, Austria)

Theory and practice in optical pH sensing 281
M. J. P. Leiner and P. Hartmann (Graz, Austria)

7. Immunodetectors II

Luminescent porphyrins as probes for optical (bio)sensors 293
D. B. Papkovsky (Moscow, Russian Federation)

Fiber-optic Atrazine immunosensor 301
P. Oroszlan, G. L. Duveneck, M. Ehrat and H. M. Widmer (Basel, Switzerland)

Feasibility study of a plastic evanescent-wave sensor 307
R. E. Slovacek (Medfield, MA, USA), S. C. Furlong (Eden Prairie, MN, USA) and W. F. Love (Corning, NY, USA)

8. Biodetectors

Development and evaluation of optical sensors for the detection of bacteria. 315
F. J. Swenson (Roswell, GA, USA)

Fish-scale photometry and *in vitro* cytotoxicity 323
J. O. G. Karlsson, Å. Nilsson, H. Sundgren, S. P. S. Svensson, H. Elwing, I. Lundström and S. Ödman (Linköping, Sweden)

9. Indicator-Based Sensors for Chemical Sensing

Organic dyes for optical sensors 331
K. R. A. S. Sandanayake and I. O. Sutherland (Liverpool, UK)

Theoretical evaluation of optical response to cations and cationic surfactant for optrode using hexadecyl-acridine orange attached on plasticized poly(vinyl chloride) membrane. 341
Y. Kawabata, T. Yamamoto and T. Imasaka (Hakozaki, Fukuoka, Japan)

A new kind of oxygen-sensitive transducer based on an immobilized metallo-organic compound. 347
A. Del Bianco, F. Baldini, M. Bacci (Florence, Italy), I. Klimant and O. S. Wolfbeis (Graz, Austria)

10. Polymer Coatings for Chemical Sensing

Optical-fibre sensors by silylation techniques 353
F. Baldini and S. Bracci (Florence, Italy)

Integrated optical gas sensors using organically modified silicates as sensitive films 361
A. Brandenburg, R. Edelhäuser (Freiburg, Germany) and F. Hutter (Würzburg, Germany)

Detection of chemical vapours with a specifically coated optical-fibre sensor. 375
C. Ronot, M. Archenault, H. Gagnaire, J. P. Goure (Saint Etienne, France), N. Jaffrezic-Renault (Ecully, France) and T. Pichery (La Plaine Saint Denis, France)

Chemical sensors based upon polysiloxanes: comparison between optical, quartz microbalance, calorimetric, and capacitance sensors 383
M. Haug, K. D. Schierbaum, G. Gauglitz and W. Göpel (Tübingen, Germany)

11. Sensors in Biotechnology

Biological applications of fiber-optic sensing: multiple uses of a fiber-optic fluorimeter. 395
K.-D. Anders, G. Wehnert, O. Thordsen, T. Scheper (Hannover, Germany), B. Rehr and H. Sahm (Jülich, Germany)

Poster Papers

The application of optodes in FIA-based fermentation process control using the software package FIACRE 407
M. Busch, F. Gutberlet, W. Höbel, J. Polster, H.-L. Schmidt and M. Schwenk (Freising-Weihenstephan, Germany)

A comparative study of two different approaches for active optical sensing of potassium with a chromoionophore 413
F. Alava-Moreno, R. Pereiro-García, M. E. Díaz-García and A. Sanz-Medel (Oviedo, Spain)

Optical pH sensors using fluorescence decay time. 421
S. Draxler, M. E. Lippitsch and M. J.-P. Leiner (Graz, Austria)

Experimental results on an optical pH measurement system for bioreactors 425
A. Holobar, B. H. Weigl, W. Trettnak, H. Lehmann, N. V. Rodriguez, A. Wollschlager, P. O'Leary, O. S. Wolfbeis (Graz, Austria), R. Benes (Graz, Austria and Piešt'any, Slovak Republic) and P. Raspor (Ljubljana, Slovenia)

Design and implementation of a fibre-optic-based residual chlorine monitor 431
Z. Mouaziz, R. Briggs, K. T. V. Grattan (London, UK) and I. Hamilton (Sutton Coldfield, UK)

Discrimination and determination of gases utilizing adsorption luminescence. 441
K. Utsunomiya, M. Nakagawa, T. Tomiyama, I. Yamamoto, Y. Matsuura, S. Chikamori, T. Wada, N. Yamashita and Y. Yamashita (Okayama, Japan)

Fiber-optic spectrochemical emissions sensor: a detector for volatile chlorinated compounds 447
N. C. Anheier, K. B. Olsen and J. W. Griffin (Richland, WA, USA)

Determination of probable alcohol yield in musts by means of an SPR optical sensor 455
M. M. B. Vidal, R. López, S. Alegret, J. Alonso-Chamarro (Bellaterra, Spain), I. Garces and J. Mateo (Zaragoza, Spain)

Integrated optical output grating coupler as refractometer and (bio-)chemical sensor 461
D. Clerc and W. Lukosz (Zürich, Switzerland)

Fiber-optic pH sensor for *in situ* applications. 467
S. Motellier, M. H. Michels, B. Duréault and P. Toulhoat (Fontenay-aux-Roses, France)

Phase-sensitive fibre-optic monoptodes for chemical sensing 475
W. Ecke, W. Haubenreisser, H. Lehmann, S. Schroeter, G. Schwotzer and R. Willsch (Jena, Germany)

Model of a chemo-optical sensor based on plasmon excitation in thin silver films 481
J. Homola (Prague, Czech Republic)

Applications of silver island films for the preparation of fluorescently based chemical sensors 487
R. F. DeBono, A. Helluy, M. Heimlich and U. J. Krull (Mississauga, Ont., Canada)

Optical sensors based on fluorescence anisotropy 499
M. E. Lippitsch (Graz, Austria)

Non-destructive testing of the quality of naturally white food products 503
E. Marszalec, H. Kopola and R. Myllylä (Oulu, Finland)

U-tube vibration monitoring with fiber-optic proximity sensors for liquid densitometry 511
P. Sladký, M. Dienstbier and O. Ulmann (Prague, Czech Republic)

Determination of the evanescent-field absorption using optics elements by means of totally reflected Gaussian beam 515
G. Steiner and C. P. Renschen (Dresden, Germany)

Sensitivity improvement for evanescent-wave gas sensors 521
G. Stewart, F. A. Muhammad and B. Culshaw (Glasgow, UK)

Fibre-optic lifetime-based enzyme biosensor. 525
D. B. Papkovsky, J. Olah and I. N. Kurochkin (Moscow, Russian Federation)

A fiber-optic enzyme sensor for the determination of adenosine diphosphate using internal analyte recycling. 531
F. Schubert (Berlin, Germany)

Scattering in planar surface waveguide immunosensors 537
A. N. Sloper and M. T. Flanagan (London, UK)

Optical biosensors based on fish pigment cells 543
S. P. S. Svensson, P. Sveider, T. Norberg, J. O. G. Karlsson, H. Elwing, I. Lundström and S. Ödman (Linköping, Sweden)

Reagentless fluorescence sensors based upon specific binding proteins 547
K. Sohanpal, T. Watsuji, L. Q. Zhou and A. E. G. Cass (London, UK)

Colorimetric activity assays of enzyme-modified MIR fibers 553
K. Taga, S. Weger, R. Göbel and R. Kellner (Vienna, Austria)

Author Index of Volume B11 561

Subject Index of Volume B11 562